

A Public Hearing of the Town Board of the Town of Moreau on April 25, 2017 in the Town of Moreau Municipal Building, 351 Reynolds Road, Moreau, New York for the purpose of hearing public comment on the Draft MS4 Report, period ending March 2017.

The Supervisor called the meeting to order at 6:55 p.m.

Town Board Members Present

Bob Prendergast	Councilman
Gina LeClair	Councilwoman
Alan VanTassel	Councilman
Gardner Congdon	Supervisor

Town Board Members Absent

Todd Kusnierz	Councilman
---------------	------------

Also present: Leeann McCabe, Town Clerk; Maureen Leerkes, Highway Department Clerk; Phil Kozial, P.E., Laberge Group; Malcolm O'Hara, Attorney for the Town; Jesse Fish, Water Superintendent; Town Residents: Bruce Flayer, Virginia Livsey, Bob Vittengl, Elizabeth Lanfear; Village Resident: Pete Lemery

The following Notice of Public Hearing was posted in the Post Star Newspaper on April 15, 2017:

Public Notice of the Town of Moreau's intent to hold a Public Meeting Regarding The Town's Stormwater Management Program.

The Town of Moreau will hold a public hearing at the Town of Moreau Office Building located at 351 Reynolds Road, Moreau, NY 12828 on April 25, 2017 at 6:55 p.m. At which time the Town will present a draft of its annual Municipal Separate Storm Sewer System (MS4s) Program report.

The public will be afforded the opportunity to ask questions and provide comments on the draft report.

The public is encouraged to review the draft report prior to the meeting. The draft report will be available on the Town's website for review prior to the public meeting at:

http://www.townofmoreau.org/ms4_report.asp.

Past years reports are also available at the aforementioned website address. The draft report will also be available for review at the Stormwater Management Officer's Office located in the Town of Moreau Building Department, along with the Storm Water Pollution Prevention Program Plan.

It is anticipated that the final annual report will be posted on the Town's website after June 1.

Public comments on the reports will be received at the time of the public meeting or by submitting written comments to the Town of Moreau Stormwater Management Officer, Moreau Highway Department, 1543 Route 9, Fort Edward NY 12828

The Supervisor asked if there was anyone present who wished to comment on the report.

There were no responses.

A motion was made by Councilman VanTassel and seconded by Councilman Prendergast to close the public hearing at 6:59 p.m.

Asked if all in favor, the following responses were given:

Councilwoman LeClair	Aye
Councilman Kusnierz	Absent
Councilman VanTassel	Aye
Councilman Prendergast	Aye
Supervisor Congdon	Aye

Meeting adjourned.

Respectfully submitted,

Leeann McCabe
Town Clerk